

KERALA UNIVERSITY OF FISHERIES AND OCEAN STUDIES



GA7/4160/17	04/2018	Panangad, Dated : /

TENDER NOTICE

Sealed Competitive limited tenders are invited for the supply of “one Photocopier for Exam/ Academic Wing of KUFOS”.

The particulars / specifications are Given below:

Last date & time for receipt of tender	12.04.18	11.00 AM
Date & time of opening of tender	12.04.18	11.30 AM

The envelope containing the Tender should bear the superscription “Tender for the supply and installation of Photocopier for Exam/ Academic Wing: GA7/4160/17” and should be sent to the Registrar, Kerala University of Fisheries and Ocean Studies, Panangad, Kochi - 682 506, Ernakulam District. Intending firms/individuals can submit their tenders in the tender form downloaded from the official site of KUFOS with detailed specification, tender cost of Rs.400/- and EMD for Rs.2000/- by means of Demand Draft drawn in favour of the Finance Officer, KUFOS, Panangad, Kochi payable at State Bank of Travancore, Vyttila along with the offer.

All the terms and conditions applicable to University/Government quotation/Tenders are admissible to this also. Right to accept the Tender in full or in part or to reject without assigning any reason whatsoever is reserved with the undersigned.

REGISTRAR

Copy to: NB/Computer Engineer/CE/Spare

Document 2018/101/5824 - GENERAL - File No. 2017/101/4160
Approved by Registrar on 07/04/2018 11:37:45

<http://www.kufos.ac.in/>
2AsVp-osD-ogFH-a.kmrN



KUFOS HQRS, Panangad, Ernakulam

Specifications for colour photocopier

Type	Desktop	
Maximum Original Size	A3	
Copy Sizes	Cassette 1:	A3, B4, A4, and B5
	Cassette 2:	A3, B4, A4, A4R, B5, B5R, A5R
		Custom Size 139.7 x 182mm to 304.8 x 457.2mm and Envelopes
	Stack Bypass:	305 x 457mm, 320 x 450mm (SRA3), A3, B4, A4, A4R, B5, B5R, A5, A5R Custom Size 99 x 139.7mm to 320 x 457.2mm and Envelopes** (Optional)
Resolution	Reading:	600 x 600dpi
	Copying:	600 x 600dpi
	Printing:	1200 x 1200dpi (Text / Line only)
Copy / Print Speed	A4:	20ppm (B&W / Colour)
	A3:	15ppm (B&W / Colour)
Magnification	Zoom:	25 - 400%
First Copy Time	Black & White:	5.9 secs.
	Full Colour:	8.9 secs.
Warm-Up Time	34 seconds	
Multiple Copies / Prints	1 to 999 sheets	

Duplexing	Standard automatic stackless	
Paper Weight	Cassette 1:	64 to 120gsm
	Cassette 2:	64 to 163gsm
	Stack Bypass:	64 to 220gsm
	Duplex:	64 to 120gsm
Paper Capacity	Standard:	Cassette 1 (80gsm): 520 sheets
		Cassette 2 (80gsm): 550 sheets
		Stack Bypass (80gsm): 100 sheets
	Optional:	550 sheets x 2 cassettes (80gsm)
	Total maximum capacity:	2,270 sheets
CPU	1.67GHz	
Memory	Standard:	2GB RAM
Hard Disk Drive	Standard:	160GB
Interface	Ethernet (1000BaseT / 100Base-TX / 10Base-T)	
Power Supply	220-240V AC, 50 / 60Hz	
Power Consumption	1.5kW max	
Toner (Estimated Yield @ 5% Coverage)	23,000 (B&W), 19,000 (Cyan, Magenta and Yellow)	
Drum Yield	43,000 (B&W), 36,000 (Cyan, Magenta and Yellow)	
Dimensions (W x D x H) (With the Duplex Colour Image Reader Unit-G1)	Main Unit Only:	565 x 680 x 791mm
	Weight	Main Unit Only: Approximately 79kg
	With DADF:	Approximately 86.9kg
Print Specification		
PDL	UFR II (Standard), PCL 5c/6 (Optional), Adobe PostScript 3 (Optional)	
Resolution	1200 x 1200dpi (Text / Line only), 600 x 600dpi	
Memory	2GB (Uses Main Unit RAM)	
Hard Disk	Standard 160GB	
CPU	Canon Custom Processor, 1.67GHz (Uses Main Unit CPU)	
PS Fonts	Roman 136	
PCL Fonts	Roman 93, Bitmap10, OCR2	

